#### UTAH OIL AND GAS CONSERVATION COMMISSION REMARKS: WELL/LOG FILE\_\_\_X ELECTRIC LOGS WATER SANDS LOCATION INSPECTED SUB. REPORT/abo DATE FILED 7-22-91 LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO INDIAN DRILLING APPROVED: 8-8-91 (CAUSE NO. 156-3) SPUDDED IN: COMPLETED: 12-110-92 PUT TO PRODUCING: INITIAL PRODUCTION: GRAVITY A.P.I. GOR: PRODUCING ZONES: TOTAL DEPTH: WELL ELEVATION: DATE ABANDONED: FIELD: MEXICAN HAT UNIT: COUNTY: SAN JUAN GOODRIDGE #91-13 WELL NO. API NO. 43-037-31638 769**'** 152' FWL LOCATION FNL FT. FROM (N) (S) LINE, FT. FROM (E) (W) LINE. NW NW 8 1/4 - 1/4 SEC. TWP. RGE. SEC. **OPERATOR** TWP **OPERATOR** RGE. SEC. **42S** 19E 8 SAN JUAN MINERALS EXP.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

					5. Lease Designation and Serial No.	
		·		·	fee	
APPLICATION	Y FOR PERMIT	TO DRILL, DEEP	EN, OR PLUG	BACK	6. If Indian, Allottee or Tribe Name	_
	III 🖾	DEEPEN	PLUG	BACK	7. Unit Agreement Name	<del></del>
	Jas D Other		Single Zone	Multiple  Zone	S. Farm or Lease Name	<del>-</del> .
2. Name of Operator San J	uan Minerals	Exploration			Goodridge 9. Well No.	<del></del>
3. Address of Operator					91-13	
	970 Williams	-	e, CA 92225		10. Field and Pool, or Wildcat	- Jeduce
we sattack	9' FNL and 1	accordance with any State	requirements.*)		11. QQ, Sec., T., R., M., or Blk. and Survey or Area	Hat
At proposed prod. zon	•		<u></u>	JUHW	Sec 8 T 42 S R19E	SLM
14. Distance in miles an	d direction from nearest to miles	wn or post office*			12. County or Parrish 13. State San Juan UT	-
15. Distance from propo- location to nearest property or lease lin-	. <sub>ft.</sub> 152'	16. N 28	o. of acres in lease	17. No. o to thi	of acres assigned s well $2\frac{1}{2}$	<del>-</del>
Also to nearest drig.  13. Distance from propo- to nearest well, drill	sed location*	0' \ 450	roposed denth	20. Rotar	y or cable tools rotary	•
or applied for, on the	s lease, It.				22. Approx. date work will start*	<u>.</u>
42	03 gr	· · · · · · · · · · · · · · · · · · ·	·		ASAP	<u>.</u>
<u> </u>		PROPOSED CASING ANI	CEMENTING PROG	RAM		
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cement	<u> </u>
9 7/8"	8 5/8"	·24 pd	30'		7 sacks	-
7 1/4"	5 1/2"	1.7pd	425		25 sacks	-
Es		h of anticipa ment - none.	Zone is s	or oil hallow ECHNICAL	- 400' and carries very  REVIEW 8-8-9	
Ci	rculating me	dium – air ar	id foam.	Geol. ————————————————————————————————————	SIGA NIBUS	
No	abnormal pr	essures or te	emperatures	- no l	nydrogen sulfidel 2	2 1991
Ja	ck Williams	619 922 2222	) or 922 22	78	DIVISIC	ON OF
					OIL GAS 8	
IN ABOVE SPACE DES ductive zone. If proposa preventer program, if an	i is to drill or deepen dire	RAM: If proposal is to de ctionally, give pertinent dat	epen or plug back, giv a on subsurface location	e data on presons and measur	ent productive zone and proposed new pro red and true vertical depths. Give blowou	- it
24. I hereby certify th	at this report is true a	nd complete to the best o	f my knowledge.			-
Signed	well pho	Title	Secretary		Date 7-4-91	
API NO		Titla	Approval Date	************	PROVED BY THE STATE F UTAH DIVISION OF	andreas
Conditions of approve	il, if any:			DATE	000	
	•			BY:	IPI Jatthews	
(3/89)		"See Instructions	On Reverse Side	WELL	SPACING: 46-3	ver j

Name & No	91-13					<del></del>	· · · · · · · · · · · · · · · · · · ·
tion	769' F	/NL 152	' F/WL				
8 , T. <u>42</u> S.,	R <sup>19</sup> F	5. L: M.	County		San	Juan	, Uta
and Elevation — 42				*		-	· · · · · · · · · · · · · · · · · · ·
na Elevation							
69'	! 				1		•
ļ	!	. :			i		
9 \	[				1		
152'	3 				1		
	<del> </del>	ده کست میشو جیسی د	—	· •== •==	-+-		
•	l 1	İ			1		l
	i	•			İ		
	1				ļ	•	
			8		- I		ļ
	<del> </del>	Section				···	
	1				1	•	
	i				į		
			1		-		·
					1		
	<del> </del>	به جانب منسنت منطو ش	<b></b>		-		
	İ				1	•	
•	1		1		į.		
	İ				i	•	
					1.		
	\$	cale, 1 incl	1,000	feet			
					June	21	, 19 <sup>91</sup>

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:



Edgar L. Risenhoover Registered Land Surveyor New Mexico Reg. No. 5979

Non-resident certification as authorized by Utah State Law 58-22-21(b)

#### BEFORE THE BOARD OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES IN AND FOR THE STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF SAN JUAN MINERALS EXPLORATION COMPANY FOR AN EXCEPTION TO THE WILD CAT WELL SPACING PATTERN ESTABLISHED BY RULE C-3, OF THE GENERAL RULES AND REGULATIONS, AND AMENDING PRIOR ORDERS OF THE BOARD IN CAUSE NO. 156-1 TO GRANT UNRESTRICTED SPACING IN CERTAIN PORTIONS OF THE MEXICAN HAT AREA, SAN JUAN COUNTY, STATE OF UTAH

ORDER

CAUSE NO. 156-3 ...

Pursuant to Notice of Hearing dated February 22, 1980, as amended, of the Board of Oil, Gas and Mining, Department of Natural Resources of the State of Utah, this Cause came on for hearing before Cleon B. Feight, acting as hearing examiner for the full Board, commencing at the hour of 9:00 a.m. on April 15, 1980, in the offices of the Division of Oil, Gas and Mining, 1588 West North Temple, Salt Lake City, Utah.

Appearing for the applicant was Anthony L. Rampton of the law firm of Fabian & Clendenin, Salt Lake City, Utah, and Robert Lauth, Certified Registered Geologist. Appearing on behalf of the Division of Oil, Gas and Mining were Denise Dragoo, Special Assistant, Utah Attorney General's Office, and Mike Minder, Petroleum Engineer.

NOW, THEREFORE, having considered the testimony presented to the hearing examiner and the exhibits received at said hearing, and being fully advised in the premises, and all persons appearing before the hearing examiner being in favor of the application, the Board now makes and enters the following:

## FINDINGS OF FACT

1. Due and regular notice of the time, place and purpose of the hearing was given to all interested parties in the form and manner and within the time required by law and the rules and regulations of the Board.

- 2. The Board has jurisdiction over the matter covered by said Notice and over all parties interested therein and has jurisdiction to make and promulgate the Order hereinafter set forth.
- 3. The principal producing sand or zone in this area is the Goodridge Sand producing from shallow sand and low pressure.
- 4. That there has been no systematic development through the Mexican Hat Area.
- 5. By Order entered in Cause No. 156-1 dated September 25, 1974, the Board established five-acre spacing for drilling wells and not less than two hundred feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarter section or equivalent lot or lots of comparable size and location and not less than 330 feet from any producible oil well, unless otherwise specifically permitted by order of the Board after notice and hearing.
- 6. That the oil wells producing on tracts in Sections
  31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township
  42 South, Range 19 East, Salt Lake Meridian, San Juan County, State
  of Utah, are all producing from the Goodridge producing sand.
- 7. That the Goodridge formation is confined to certain pockets of permeability and perocity requiring the drilling of holes in an irregular pattern in order to discover and drain all of the recoverable oil and associated hydrocarbons from said formation.
- 8. That in order to facilitate the location and commercial production of oil in this area, it is necessary to allow for an amendment to the Order in Cause No. 156-1 so as to permit the drilling of wells on unrestricted spacing in the aforestated sections.

# ORDER

### IT IS THEREFORE ORDERED:

A. That an exception is hereby granted to the provisions of Rule C-3, General Rules and Regulations, Division of Oil, Gas

and Mining, so as to permit the drilling of wells on unrestricted spacing to best accommodate the prevention of waste and protection of correlative rights in the development of the field and to maximize ultimate future recovery of oil and associated hydrocarbons insofar as and only insofar as the Goodridge Formation in Sections 31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township 42 South, Range 19 East, Salt Lake Meridian, San Juan County, State of Utah, and the Order of this Board in Cause No. 156-1 is hereby amended accordingly.

- B. It is further Ordered that no well in said Sections shall be drilled less than 50 feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarters section or equivalent lot or lots of comparable size unless otherwise specifically permitted by order of the Board after notice and hearing.
- C. That this Order is a temporary order and the Board, on its own motion or the motion of any interested party, may file an application requesting a hearing to present new evidence covering the matter set forth herein.
- D. That the Board retains continuing jurisdiction of all matters covered by this Order and particularly retains continuing jurisdiction to make further orders as appropriate and authorized by statute and applicable regulations.

ENTERED AND EFFECTIVE this 15 day of May, 1980.

BOARD OF OIL, GAS AND MINING OF THE STATE OF UTAH

Charles R. Henderson	· · · · · · · · · · · · · · · · · · ·	 
John L. Bell		 
·		
Thadeus W. Box		
ار میں در مصروع کا این اور اور اور اور اور اور اور اور اور اور		
C. Ray Juvelin		 •

E. Steele McIntyre

Constance K. Lundberg

Edward 1. Beck

OPERATOR Jan Juan Minuals NOSIO DATE 7-30-91
WELL NAME Goodidge 91-13
SEC HWAW 8 T 435 R 19F COUNTY Jan Frian
43-037-31638 API NUMBER TYPE OF LEASE
CHECK OFF:
PLAT.  BOND  50,000  WELL  490E86TA
LEASE FIELD POTASH OR OIL SHALE
PROCESSING COMMENTS:  talls within spacing quidilines - unestricted spacing
Presite 7-09-91 (Geology rulien) 8-7-91
Pusite was done by Glenn Fording no dilling
assissment ucioled
APPROVAL LETTER:
SPACING: R615-2-3 NA UNIT R515-3-2
156-3 1-15-80 R615-3-3 CAUSE NO. & DATE
STIPULATIONS:
te stimulation
Le stipulation



Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

August 8, 1991

San Juan Minerals Exploration Company 10970 Williams Avenue Blythe, California 92225

# Gentlemen:

Re: Goodridge 91-13 Well, 769 feet from the North line, 152 feet from the West line, NW NW, Section 8, Township 42 South, Range 19 East, San Juan County, Utah

Approval to drill the referenced well is hereby granted in accordance with the Order in Cause No. 156-3 dated April 15, 1980, subject to the following stipulations:

- 1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. Section 73-3, Appropriation.
- 2. San Juan Minerals Exploration Company, as designated operator, is the bonded principal in reference to this Application for Permit to Drill. Should this designation change or a transfer of ownership occur, liability will remain with the designated operator until the Division is notified by letter of a new bonded principal.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.

Page 2
San Juan Minerals Exploration Company
Goodridge 91-13
August 8, 1991

- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801) 538-5340, (Home) (801) 476-8613, or R. J. Firth, Associate Director, (Home) (801) 571-6068.
- 5. Compliance with the requirements of Utah Admin. R.6l5-3-20, Gas Flaring or Venting.
- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31638.

Sincerely,

Associate Director, Oil & Gas

tas Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-11



355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

December 16, 1992

San Juan Minerals Exploration Company 10970 Williams Ave. Blythe, California 92225-9414

Gentlemen:

Dianne R. Nielson, Ph.D.

Division Director

Re: <u>Goodridge 91-13 Well, Sec. 8, T. 42S, R. 19E, San Juan County, Utah API No. 43-037-31638</u>

Due to excessive time delay in commencing drilling operations, approval to drill the subject well is hereby rescinded, effective immediately.

Please note that a new Application for Permit to Drill must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley

Administrative Supervisor

Oil and Gas

DME/ldc

cc: R.J. Firth

Well file

WOI219